	Application No.	Applicant(s)
	40/000 740	TERSTAPPEN ET AL.
Notice of Allowability	10/068,712 Examiner	Art Unit
		1044
	Pensee T. Do	1641
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the after-final amendment filed on February 02, 2006.		
2. The allowed claim(s) is/are <u>5-10,12-17 and 27</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
 Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
Notice of Neterences Oiled (1 10-002) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	,, , , , , , , , , , , , , , , , , , , ,
	Paper No./Mail Dat	te .
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 		·
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9.	

Application/Control Number: 10/068,712

Art Unit: 1641

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Joseph Aceto on March 17, 2006.

The application has been amended as follows:

In the Specification:

At [0001], line 2, insert - - now US patent 6,361,749 - - after "1999,".

In the claims:

Claim 5, "mediumin" in line 2 is replaced with - - medium, the apparatus comprising- -.

Claim 5, line 3, "the separator comprising" is deleted.

Claim 5, line 13, "magnetic" is replaced with - - non-magnetic - - .

Claim 6, line 4, "magnetic" is replaced with -- non-magnetic--.

Claim 9, line 2, "passing through" is replaced with - - comprising: - - .

Claim 9, line 3, "the separator comprising:" is deleted.

Claim 9, last line "magnetic" is replaced with - - non-magnetic - -.

Claim 10, line 2, "int" is replaced with - - in- -.

Claim 10, last line, "magnetic" is replaced with - -non-magnetic - -.

Claim 12, line 3, "plunder" is replaced with - -plunger- -.

Application/Control Number: 10/068,712

Art Unit: 1641

Claim 15, line 3, "internal" is replaced with - - interior - - .

Claims 1, 3 and 26 are cancelled.

The following is an examiner's statement of reasons for allowance:

The prior arts fail to teach a magnetic separation apparatus comprising a container having an interior surface; a magnetic means for generating a magnetic field gradient within the container; and a non-magnetic plunger displaced into said container to provide an annular space within said interior surface into which said non-magnetic medium may pass.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pensee T. Do whose telephone number is 571-272-0819. The examiner can normally be reached on Monday-Friday, 8:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached on 571-272-0823. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 4

Application/Control Number: 10/068,712

Art Unit: 1641

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Pensee T. Do Patent Examiner March 17, 2006

LONG V. LE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600

03/20/06